
Ray Staiger LIMITED



MECHANICAL

PRODUCT CATALOGUE

TABLE OF CONTENTS

Strut Accessories	2
U-Bolts & Threaded Rod	6
Strut	8
Fastenings	12
Pipe Saddles	18
Base Plates	19
Pipe Clamps	22
Custom U-Bolt Order Form	26
Custom Pipe Clamp Order Form	27
Custom Pipe Saddle Order Form	28


BPIR Documentation for relevant products can be found at https://simplefix.co.nz/data-sheets/

Please Note:

Ray Staiger Limited reserves the right to change specifications and materials without prior notice. While our endeavor has been to assure the accuracy of information maintained in this publication, Ray Staiger Limited is not responsible for inaccuracies resulting from undetected errors, omissions, or miscalculations.


Version 1: 2025

Strut Accessories




Square Washer

RSL CODE	Description	Size (mm)	Hole Size (mm)
W1040G/SQ	Square Washer M10 HDG	40 x 40 x 3	14
W1040ST/SQ	Square Washer M10 Stainless 316	40 x 40 x 3	14
W1240G/SQ	Square Washer M12 HDG	40 x 40 x 3	14
W1240ST/SQ	Square Washer M12 Stainless 316	40 x 40 x 3	14
W1640G/SQ	Square Washer M16 HDG	40 x 40 x 3	18
W10406G	Square Washer M10 HDG	40 x 40 x 6	14
W12406G	Square Washer M12 HDG	40 x 40 x 6	14
W16406G	Square Washer M16 HDG	40 x 40 x 6	18




Strut Spring Nut

RSL CODE	Description
RSL1008	M10 Spring Nut Zinc
RSL1008G	M10 Spring Nut HDG
RSL1008S316	M10 Spring Nut Stainless 316
RSL1010	M12 Spring Nut Zinc
RSL1010G	M12 Spring Nut HDG
RSL1010S316	M12 Spring Nut Stainless 316
RSL1012	M16 Spring Nut Zinc
RSL1012G	M16 Spring Nut HDG




Strut Nut - No Spring

RSL CODE	Description
RSL3008	M10 Spring Nut Zinc
RSL3010	M12 Spring Nut Zinc




Angle Bracket - 2 Hole

RSL CODE	Description	Size (mm)	Hole Size (mm)
RSL1026	Angle Bracket 2 Hole HDG	48 x 51 x 41	14
RSL1026/16	Angle Bracket 2 Hole HDG	48 x 51 x 41	18




Angle Bracket - 2 Hole

RSL CODE	Description	Size (mm)	Hole Size (mm)
RSL1068	Angle Bracket 2 Hole HDG	41 x 57 x 41	14




Angle Bracket - Internal Angle 45°

RSL CODE	Description	Size (mm)	Hole Size (mm)
RSL1186	Angle Bracket Internal 45° HDG	80 x 64 x 41	14




Angle Bracket - 3 Hole

RSL CODE	Description	Size (mm)	Hole Size(mm)
RSL1326	Angle Bracket 3 Hole HDG	105 x 41 x 41	14



Angle Bracket - External Angle 45°

RSL CODE	Description	Size (mm)	Hole Size (mm)
RSL1546	Angle Bracket External 45° HDG	76 x 60 x 41	14



U- Bracket

RSL Code	DESCRIPTION	Size (mm)	Hole Size (mm)
RSL1047	U-Bracket HDG	138 x 41 x 6	14



Twist Clips

RSL CODE	DESCRIPTION
TC-027	20nb (27od) (20 x 1.5mm)
TC-034	25nb (34od) (25 x 1.0mm)
TC-043	32nb (43od) (25 x 1.0mm)
TC-048	40nb (48od) (25 x 1.0mm)
TC-060	50nb (60od) (25 x 1.5mm)
TC-076	65nb (76od) (25 x 1.0mm)
TC-089	80nb (89od) (25 x 1.5mm)



2 Piece Channel Clips HDG

RSL CODE	DESCRIPTION
RSL132-027HDG	27od (20nb) (32 x 1.5mm)
RSL132-034HDG	34od (25nb) (32 x 2.5mm)
RSL132-043HDG	43od (32nb) (32 x 1.5mm)
RSL132-048HDG	48od (40nb) (32 x 2.5mm)
RSL132-060HDG	60od (50nb) (32 x 2.5mm)
RSL132-076HDG	76od (65nb) (32 x 2.5mm)
RSL132-089HDG	89od (80nb) (32 x 2.5mm)
RSL132-115HDG	115od (100nb) (32 x 2.5mm)
RSL132-140HDG	140od (125nb) (32 x 2.5mm)
RSL132-165HDG	165od (150nb) (32 x 2.5mm)
RSL132-220HDG	220od (200nb) (32 x 2.5mm)
RSL132-252HDG	252od (225nb) (32 x 2.5mm)



Rod Stiffener

RSL CODE	Description
RSL2486	M10/M12 Rod Stiffener Zinc
RSL2486G	M10/M12 Rod Stiffener HDG



Beam Strap

RSL CODE	DESCRIPTION	Size (mm)	Hole Size (mm)
BS20	Beam Strap Pre-Galv	400 x 25 x 1.6	13




Beam Clamps

RSL CODE	DESCRIPTION
BCM10	Beam Clamp M10
BCM10T	Beam Clamp M10 Threaded
BCM12	Beam Clamp M12
BCM12T	Beam Clamp M12 Threaded
BCM16	Beam Clamp M16



Beam Plate

RSL CODE	DESCRIPTION	Size (mm)
BPL34-38	HDG Beam Plate	25nb - 40nb (34-48od)
BPL60-89	HDG Beam Plate	50nb - 80nb (60-89od)
BPL115	HDG Beam Plate	100nb (115od)
BPL140-168	HDG Beam Plate	125nb - 150 nb (140-168od)
BPL220	HDG Beam Plate	200nb (220od)



Adjustable Beam Clamp

RSL CODE	Description	Size (mm)
RSL2785	Adjustable Beam Clamp HDG	76 x 86



- Sizes not listed here are available made to order. Please see page 26 for custom U-Bolt order form or contact our sales team to discuss. Threaded Rod can be cut to size. Please enquire with our sales team.



U-Bolts Stainless 316

RSL CODE	DESCRIPTION	L	C	T
UB10-021/ST	15nb (21od)	74	31	M10
UB10-027/ST	20nb (27od)	86	37	M10
UB10-034/ST	25nb (34od)	93	44	M10
UB10-043/ST	32nb (43od)	103	53	M10
UB10-048/ST	40nb (48od)	107	58	M10
UB10-060/ST	50nb (60od)	118	70	M10
UB10-076/ST	65nb (76od)	134	86	M10
UB10-089/ST	80nb (89od)	147	99	M10
UB10-115/ST	100nb (115od)	174	122	M10
UB12-076/ST	65nb (76od)	140	88	M12
UB12-089/ST	80nb (89od)	150	101	M12
UB12-115/ST	100nb (115od)	178	127	M12
UB12-140/ST	125nb (140od)	201	152	M12
UB12-168/ST	150nb (168od)	231	180	M12



U-Bolts Hot Dipped Galvanised

RSL CODE	DESCRIPTION	L	C	T
UB10-021/G	15nb (21od)	80	31	M10
UB10-027/G	20nb (27od)	88	37	M10
UB10-034/G	25nb (34od)	98	44	M10
UB10-043/G	32nb (43od)	108	53	M10
UB10-048/G	40nb (48od)	108	58	M10
UB10-060/G	50nb (60od)	122	70	M10
UB10-076/G	65nb (76od)	142	86	M10
UB10-089/G	80nb (89od)	151	99	M10
UB10-115/G	100nb (115od)	176	125	M10
UB12-076/G	65nb (76od)	139	88	M12
UB12-089/G	80nb (89od)	153	101	M12
UB12-115/G	100nb (115od)	176	127	M12
UB12-140/G	125nb (140od)	203	157	M12
UB12-168/G	150nb (168od)	236	180	M12
UB16-220/G	220od (200nb)	295	236	M16



Threaded Rod - Stainless Steel 304

RSL CODE	DESCRIPTION	LENGTH
TR41S304	M4 Stainless 304 Threaded Rod	1m
TR61S304	M6 Stainless 304 Threaded Rod	1m
TR81S304	M8 Stainless 304 Threaded Rod	1m
TR101S304	M10 Stainless 304 Threaded Rod	1m
TR102S304	M10 Stainless 304 Threaded Rod	2m
TR121S304	M12 Stainless 304 Threaded Rod	1m
TR122S304	M12 Stainless 304 Threaded Rod	2m
TR161S304	M16 Stainless 304 Threaded Rod	1m



Threaded Rod - Stainless Steel 316

RSL CODE	DESCRIPTION	LENGTH
TR41S316	M4 Stainless 316 Threaded Rod	1m
TR61S316	M6 Stainless 316 Threaded Rod	1m
TR81S316	M8 Stainless 316 Threaded Rod	1m
TR101S316	M10 Stainless 316 Threaded Rod	1m
TR102S316	M10 Stainless 316 Threaded Rod	2m
TR121S316	M12 Stainless 316 Threaded Rod	1m
TR122S316	M12 Stainless 316 Threaded Rod	2m
TR161S316	M16 Stainless 316 Threaded Rod	1m



Threaded Rod - Hot Dipped Galvanised

RSL CODE	DESCRIPTION	LENGTH
TR61G	M6 HDG Threaded Rod	1m
TR81G	M8 HDG Threaded Rod	1m
TR101G	M10 HDG Threaded Rod	1m
TR102G	M10 HDG Threaded Rod	2m
TR121G	M12 HDG Threaded Rod	1m
TR122G	M12 HDG Threaded Rod	2m
TR161G	M16 HDG Threaded Rod	1m
TR162G	M16 HDG Threaded Rod	2m
TR201G	M20 HDG Threaded Rod	1m
TR241G	M24 HDG Threaded Rod	1m
TR301G	M30 HDG Threaded Rod	1m



Threaded Rod - Brass

RSL CODE	DESCRIPTION	LENGTH
BHS8	M8 Brass Threaded Rod	1m
BHS10	M10 Brass Threaded Rod	1m



Threaded Rod - Zinc Plated

RSL CODE	DESCRIPTION	LENGTH
TR61	M6 Zinc Plated Threaded Rod	1m
TR81	M8 Zinc Plated Threaded Rod	1m
TR82	M8 Zinc Plated Threaded Rod	2m
TR101	M10 Zinc Plated Threaded Rod	1m
TR102	M10 Zinc Plated Threaded Rod	2m
TR103	M10 Zinc Plated Threaded Rod	3m
TR121	M12 Zinc Plated Threaded Rod	1m
TR122	M12 Zinc Plated Threaded Rod	2m
TR161	M16 Zinc Plated Threaded Rod	1m
TR162	M16 Zinc Plated Threaded Rod	2m



Threaded Rod Couplings


RSL CODE	DESCRIPTION	QTY
TRC6	M6 Zinc Plated Rod Coupling	EA
TRC8	M8 Zinc Plated Rod Coupling	EA
TRC8S316	M8 Stainless 316 Rod Coupling	EA
TRC10B	M10 Brass Rod Coupling	EA
TRC10G	M10 HDG Rod Coupling	EA
TRC10S316	M10 Stainless 316 Rod Coupling	EA
TRC12G	M12 HDG Rod Coupling	EA
TRC12S316	M12 Stainless 316 Rod Coupling	EA
TRC16S316	M16 Stainless 316 Rod Coupling	EA



Threaded Rod Reducers Zinc Plated


RSL CODE	DESCRIPTION	QTY
TRR10F-8M	M10 female to M8 male	EA
TRR12M-10F	M12 male to M10 female	EA






Solid Strut

RSL CODE	Description	Size (mm)	Length (m)
RSL1000	Pre-Galv Solid Strut	41 x 41 x 2.5	3
RSL1000G	HDG Solid Strut	41 x 41 x 2.5	3
RSL1000/6	Pre-Galv Solid Strut	41 x 41 x 2.5	6
RSL1000G/6	HDG Solid Strut	41 x 41 x 2.5	6




Solid Strut

RSL CODE	Description	Size (mm)	Length (m)
RSL3300	Pre-Galv Solid Strut	41 x 22 x 2.5	3
RSL3300G	HDG Solid Strut	41 x 22 x 2.5	3
RSL3300/6	Pre-Galv Solid Strut	41 x 22 x 2.5	6
RSL3300G/6	HDG Solid Strut	41 x 22 x 2.5	6




Solid Strut

RSL CODE	Description	Size (mm)	Length (m)
RSL5500	Pre-Galv Solid Strut	41 x 62 x 2.5	3
RSL5500G	HDG Solid Strut	41 x 62 x 2.5	3




Slotted Angle

RSL CODE	Description	Size (mm)	Length (m)
RSL1500-040	HDG Slotted Angle	40 x 40 x 6	3
RSL1500-040/6	HDG Slotted Angle	40 x 40 x 6	6




Slotted Strut

RSL CODE	Description	Size (mm)	Length (m)
RSL1000T	Pre-Galv Slotted Strut	41 x 41 x 2.5	3
RSL1000TG	HDG Slotted Strut	41 x 41 x 2.5	3
RSL1000T/6	Pre-Galv Slotted Strut	41 x 41 x 2.5	6
RSL1000TG/6	HDG Slotted Strut	41 x 41 x 2.5	6




Slotted Strut

RSL CODE	Description	Size (mm)	Length (m)
RSL3300T	Pre-Galv Slotted Strut	41 x 22 x 2.5	3
RSL3300TG	HDG Slotted Strut	41 x 22 x 2.5	3
RSL3300T/6	Pre-Galv Slotted Strut	41 x 22 x 2.5	6
RSL3300TG/6	HDG Slotted Strut	41 x 22 x 2.5	6




Slotted Strut

RSL CODE	Description	Size (mm)	Length (m)
RSL5500T	Pre-Galv Slotted Strut	41 x 62 x 2.5	6
RSL5500TG	HDG Slotted Strut	41 x 62 x 2.5	6




Combination Strut

RSL CODE	Description	Size (mm)	Length (m)
RSL1001	Pre-Galv Combination Strut	41 x 83 x 2.5	6
RSL1001G	HDG Combination Strut	41 x 83 x 2.5	6




Combination Strut

RSL CODE	Description	Size (mm)	Length (m)
RSL3001	Pre-Galv Combination Strut	41 x 45 x 2.5	6
RSL3001G	HDG Combination Strut	41 x 45 x 2.5	6




Combination Strut

RSL CODE	Description	Size (mm)	Length (m)
RSL5501	Pre-Galv Combination Strut	41 x 124 x 2.5	6
RSL5501G	HDG Combination Strut	41 x 124 x 2.5	6



Cantilever Brackets - Unbraced

RSL CODE	Description	Length (mm)
RSL156-150	HDG Unbraced Cantilever Bracket	150
RSL156-300	HDG Unbraced Cantilever Bracket	300
RSL156-450	HDG Unbraced Cantilever Bracket	450
RSL156-600	HDG Unbraced Cantilever Bracket	600



Cantilever Brackets - Braced

RSL CODE	Description	Length (mm)
RSL158-320	HDG Cantilever Bracket	320
RSL158-470	HDG Cantilever Bracket	470
RSL158-635	HDG Cantilever Bracket	635
RSL158-780	HDG Cantilever Bracket	780



Strut End Cap

RSL CODE	Description
RSL2240	Plastic Strut End Cap (Grey)





Concrete Screw Bolts

RSL CODE	DESCRIPTION	QTY
EX650/EA	Excalibur Screwbolt M6 x 50mm Hex Head Zinc	EA
EX650/25	Excalibur Screwbolt M6 x 50mm Hex Head Zinc	25
EX650/50	Excalibur Screwbolt M6 x 50mm Hex Head Zinc	50
EX650G/EA	Excalibur Screwbolt M6 x 50mm Hex Head Galvanised	EA
EX860G/EA	Excalibur Screwbolt M8 x 60mm Hex Head Galvanised	EA
EX8100G/EA	Excalibur Screwbolt M8 x 100mm Hex Head Galvanised	EA
EX1060G/EA	Excalibur Screwbolt M10 x 60mm Hex Head Galvanised	EA
EX1060G	Excalibur Screwbolt M10 x 60mm Hex Head Galvanised	EA
EX1060/S316	Excalibur Screwbolt M10 x 60mm Hex Head Stainless 316	EA
EXB1075/EA	Excalibur Screwbolt M10 x 75mm Hex Head Zinc	EA
EX1075G/EA	Excalibur Screwbolt M10 x 75mm Hex Head Galvanised	EA
EX10100G/EA	Excalibur Screwbolt M10 x 100mm Hex Head Galvanised	EA
EX1275	Excalibur Screwbolt M12 x 75mm Hex Head Zinc	EA
EX1275G/EA	Excalibur Screwbolt M12 x 75mm Hex Head Galvanised	EA
EX1275G	Excalibur Screwbolt M12 x 75mm Hex Head Galvanised	25
EX1650G/EA	Excalibur Screwbolt M16 x 150mm Hex Head Galvanised	EA



SnakePro Seismic Anchor

RSL CODE	DESCRIPTION	QTY
SNAKEPRO-M10	M10 31 mm internal Threaded Anchor, Seismic Rated	EA
SNAKEPRO-M10/10	M10 31 mm internal Threaded Anchor, Seismic Rated	10
SNAKEPRO-M10/25	M10 31 mm internal Threaded Anchor, Seismic Rated	25
SNAKEDRILL	Accu-Bit SDS plus stop Drill 12.7mm x 50mm	EA
SNAKETOOL-M10	M10 Snake Setting Tool	EA




Powers Vertigo For Concrete

RSL CODE	DESCRIPTION	QTY
VHC6538	M10 Concrete Type 6.5 x 38mm	EA
VHC6538J	M10 Concrete Type 6.5 x 38mm	10



Powers Vertigo For Steel

RSL CODE	DESCRIPTION	QTY
VHS1425	M10 Steel Type 6.5 x 25mm (1/4")	EA
VHS1425J	M10 Steel Type 6.5 x 25mm (1/4")	10
VHS1425S	M10 Side Steel Type 6.5 x 25mm (1/4")	EA



Seismic Sammy For Concrete

RSL CODE	DESCRIPTION	QTY
SAMC6555	M8/M10 6.0 x 55mm	EA
SAMC6555J/15	M8/M10 6.0 x 55mm	15
SAMC6555/50	M8/M10 6.0 x 55mm	50



Wedge Anchors - Yellow Zinc

RSL CODE	DESCRIPTION	QTY
WA1040J	M10 x 30mm Flanged Dyna-set	10
WA1040*	M10 x 30mm Flanged Dyna-set	50
WA1250	M12 x 50mm Dyna-set	50



Wedge Anchors - Stainless 316

RSL CODE	DESCRIPTION	QTY
WA1040S316	M10 x 40mm	EA
WA1280S316	M12 x 80mm	EA



Vertigo Power Bit (Universal)

RSL CODE	DESCRIPTION	QTY
VHPBRED	Red - For wood and steel	EA
VHPBBLUE	Blue - For concrete	EA



Sleeve Anchors - Stainless 316

RSL CODE	DESCRIPTION	QTY
SA6535S316	6.5 x 35mm	EA
SA840S316	8.0 x 40mm	EA
SA865S316	8.0 x 65mm	EA
SA1050S316	10.0 x 50mm	EA
SA1075S316	10.0 x 75mm	EA
SA1260S316	12.0 x 60mm	EA



Sleeve Anchors - Galvanised

RSL CODE	DESCRIPTION	QTY
SA1075G	10 x 75mm	EA
SA12100/EA	12 x 100mm	EA
SA12130G	12 x 130mm	EA
SA1260G	12 x 60mm	EA
SA1275G	12 x 75mm	EA



Sleeve Anchors - Yellow Zinc

RSL CODE	DESCRIPTION	QTY
SA6525	6.5 x 25mm	100
SA6535	6.5 x 35mm	100
SA6555	6.5 x 55mm	100
SA6575	6.5 x 75mm	100
SA840	8 x 40mm	100
SA865	8 x 65mm	50
SA885	8 x 85mm	50
SA1040	10 x 40mm	50
SA1050	10 x 50mm	50
SA1060	10 x 60mm	50
SA1075	10 x 75mm	50
SA1095	10 x 95mm	50
SA1260	12 x 60mm	50
SA1275	12 x 75mm	25
SA12100	12 x 100mm	25



Fire Rated Wedge Anchor

RSL CODE	DESCRIPTION	QTY
PBZ0635/25	Fire Rated Metal Wedge Anchor 6 x 35mm	25
PBZ0635/50	Fire Rated Metal Wedge Anchor 6 x 35mm	50
PBZ0635/100	Fire Rated Metal Wedge Anchor 6 x 35mm	100
PBZ0665/25	Fire Rated Metal Wedge Anchor 6 x 65mm	25
PBZ0665/50	Fire Rated Metal Wedge Anchor 6 x 65mm	50
PBZ0665/100	Fire Rated Metal Wedge Anchor 6 x 65mm	100



Metric 4.6 Bolt & Nut Galvanised

RSL CODE	DESCRIPTION	QTY
BNM825G	M8 x 25mm	EA
BNM830G	M8 x 30mm	EA
BNM840G	M8 x 40mm	EA
BNM845G	M8 x 45mm	EA
BNM850G	M8 x 50mm	EA
BNM860G	M8 x 60mm	EA
BNM870G	M8 x 70mm	EA
BNM1025G	M10 x 25mm	EA
BNM1030G	M10 x 30mm	EA
BNM1035G	M10 x 35mm	EA
BNM1040G	M10 x 40mm	EA
BNM1045G	M10 x 45mm	EA
BNM1050G	M10 x 50mm	EA
BNM1060G	M10 x 60mm	EA
BNM1070G	M10 x 70mm	EA
BNM1225G	M12 x 25mm	EA
BNM1230G	M12 x 30mm	EA
BNM1235G	M12 x 35mm	EA
BNM1240G	M12 x 40mm	EA
BNM1245G	M12 x 45mm	EA
BNM1250G	M12 x 50mm	EA
BNM1260G	M12 x 60mm	EA
BNM1270G	M12 x 70mm	EA
BNM1625G	M16 x 25mm	EA
BNM1630G	M16 x 30mm	EA
BNM1635G	M16 x 35mm	EA
BNM1640G	M16 x 40mm	EA
BNM1645G	M16 x 45mm	EA
BNM1650G	M16 x 50mm	EA
BNM1660G	M16 x 60mm	EA
BNM1670G	M16 x 70mm	EA



Cone Point Screw Zinc Plated

RSL CODE	DESCRIPTION	QTY
CPS1040	M10 x 40mm	EA
CPS1240	M12 x 40mm	EA
CPS1250	M12 x 50mm	EA



Metric 4.6 Bolt & Nut Zinc Plated

RSL CODE	DESCRIPTION	QTY
BNM825	M8 x 25mm	EA
BNM830Z	M8 x 30mm	EA
BNM835Z	M8 x 35mm	EA
BNM840Z	M8 x 40mm	EA
BNM845Z	M8 x 45mm	EA
BNM850Z	M8 x 50mm	EA
BNM860Z	M8 x 60mm	EA
BNM870Z	M8 x 70mm	EA
BNM1025Z	M10 x 25mm	EA
BNM1030Z	M10 x 30mm	EA
BNM1035Z	M10 x 35mm	EA
BNM1040Z	M10 x 40mm	EA
BNM1045Z	M10 x 45mm	EA
BNM1050Z	M10 x 50mm	EA
BNM1060Z	M10 x 60mm	EA
BNM1070Z	M10 x 70mm	EA
BNM1225Z	M12 x 25mm	EA
BNM1230Z	M12 x 30mm	EA
BNM1235Z	M12 x 35mm	EA
BNM1240Z	M12 x 40mm	EA
BNM1245Z	M12 x 45mm	EA
BNM1250Z	M12 x 50mm	EA
BNM1260Z	M12 x 60mm	EA
BNM1270Z	M12 x 70mm	EA
BNM1625Z	M16 x 25mm	EA
BNM1630Z	M16 x 30mm	EA
BNM1635Z	M16 x 35mm	EA
BNM1640Z	M16 x 40mm	EA
BNM1645Z	M16 x 45mm	EA
BNM1650Z	M16 x 50mm	EA
BNM1660Z	M16 x 60mm	EA
BNM1670Z	M16 x 70mm	EA



Metric 4.6 Set Screw Zinc Plated

RSL CODE	DESCRIPTION
HHS0825	M8 x 25mm
HHS0830	M8 x 30mm
HHS0840	M8 x 40mm
HHS1025	M10 x 25mm
HHS1030	M10 x 30mm
HHS1040	M10 x 40mm
HHS1225	M12 x 25mm
HHS1230	M12 x 30mm
HHS1240	M12 x 40mm
HHS1640	M16 x 40mm



Metric 4.6 Set Screw Galvanised

RSL CODE	DESCRIPTION
HHS0825G	M8 x 25mm HDG
HHS0830G	M8 x 30mm HDG
HHS0840G	M8 x 40mm HDG
HHS1025G	M10 x 25mm HDG
HHS1030G	M10 x 30mm HDG
HHS1040G	M10 x 40mm HDG
HHS1225G	M12 x 25mm HDG
HHS1230G	M12 x 30mm HDG
HHS1240G	M12 x 40mm HDG
HHS1640G	M16 x 40mm HDG



Metric 8.8 Set Screw Zinc Plated

RSL CODE	DESCRIPTION
HHS0825HT	M8 x 25mm High Tensile
HHS0830HT	M8 x 30mm High Tensile
HHS0840HT	M8 x 40mm High Tensile
HHS1025HT	M10 x 25mm High Tensile
HHS1030HT	M10 x 30mm High Tensile
HHS1040HT	M10 x 40mm High Tensile
HHS1225HT	M12 x 25mm High Tensile
HHS1230HT	M12 x 30mm High Tensile
HHS1240HT	M12 x 40mm High Tensile
HHS1640HT	M16 x 40mm High Tensile



Spring Washers Zinc Plated

RSL CODE	DESCRIPTION
SW08	M8
SW10	M10
SW12	M12
SW16	M16



Spring Washers Galvanised

RSL CODE	DESCRIPTION
SW08G	M8
SW10G	M10
SW12G	M12
SW16	M16



Lock Washers

RSL CODE	DESCRIPTION
LW08	M8
LW10	M10
LW12	M12
LW16	M16



Flat Washers - Stainless 316

RSL CODE	DESCRIPTION	QTY
W10S316	M10 x 21 x 1.6mm	EA
W16S316	M16 x 30 x 1.6mm	EA
W20S316/H	M20 x 37 x 3.0mm	EA



Flat Washers - HDG

RSL CODE	DESCRIPTION	QTY
W10G	M10 x 24 x 3mm	EA
W10G/SQ	M10 x 50 x 3mm Square	EA
W12G	M12 x 28 x 3mm	EA
W16G	M16 x 34 x 3mm	EA
W20G	M20 x 39 x 3mm	EA




Flat Washers - Zinc Plated

RSL CODE	DESCRIPTION	QTY
W18	M3 x 9.0 x 0.80mm (1/8")	200
W532	M4 x 9.0 x 0.80mm (5/32")	180
W4	M4 x 9.0 x 0.75mm	190
W5	M5 x 10.0 x 1.0mm	180
W316	M5 x 12.0 x 1.0mm (3/16")	150
W6	M6 x 12.5 x 1.2mm	170
W516	M8 x 16.0 x 1.6mm (5/16")	125
W10/100	M10 x 21.0 x 1.6mm (3/8")	100
W12	M12 x 24.0 x 1.6mm (1/2")	45



Penny Washers - Zinc Plated

RSL CODE	DESCRIPTION	QTY
W316114Z	M5 x 32mm (3/16")	100
W14114Z/100	M6 x 32mm (1/4")	100
W516114Z	M8 x 32mm (5/16")	100
W38114Z/100	M10 x 32mm (3/8")	100
W12114Z	M12 x 32mm (1/2" x 1-1/4")	100



Full Nuts - Stainless

RSL CODE	DESCRIPTION	QTY
FN5S304	M5 Stainless 304	EA
FN6S304	M6 Stainless 304	EA
FN6S316	M6 Stainless 316	EA
FN8S304	M8 Stainless 304	EA
FN10S304	M10 Stainless 304	EA
FN10S316	M10 Stainless 316	EA
FN12S304	M12 Stainless 304	EA
FN12S316	M12 Stainless 316	EA



Full Nuts - HDG

RSL CODE	DESCRIPTION	QTY
FN8G	M8	EA
FN10G	M10	EA
FN12G	M12	EA
FN16G	M16	EA
FN20G	M20	EA



Full Nuts - Zinc Plated

RSL CODE	DESCRIPTION	QTY
FN4/200	M4	200
FN5/200	M5	200
FN6/100	M6	100
FN8	M8	70
FN10	M10	35
FN12	M12	EA
FN16	M16	EA



Pressed Nuts - Zinc Plated

RSL CODE	DESCRIPTION	QTY
N3	M3	200
N4	M4	150
N5	M5	120
N6	M6	90



Metal Self Drilling Tek Screws

RSL CODE	DESCRIPTION	QTY
T1016MSD	10 x 16mm C4 no neo	100
T1016MSDN	10 x 16mm C4 with neo	100
T1025MSD/50	10 x 25mm C4 with neo	50
T1220MSD/50	12 x 20mm C4 with neo	50
T1225MSD	12 x 25mm C4 with neo	70
T1235MSD/40	12 x 35mm C4 with neo	40
T1245MSD	12 x 45mm C4 with neo	40
T1255MSD/50	12 x 55mm C4 with neo	50
T1265MSD	12 x 65mm C5 with neo	30



Type 17 Wood Tek Screws

RSL CODE	DESCRIPTION	QTY
T1225	12 x 25mm C4 with neo	95
T1235	12 x 35mm C4 with neo	50
T1240	12 x 40mm C4 with neo	70
T1250	12 x 55mm C4 with neo	60
T1265	12 x 65mm C4 with neo	45
T1275	12 x 75mm C4 with neo	EA
T1475/25	14 x 75mm C4 with neo	25
T14100	14 x 100mm C4 with neo	EA



Pan Head Metal Self-Drilling Stainless 410 Square Drive Screws

RSL CODE	DESCRIPTION	QTY
SSD1012MSD	10 x 12mm Square Drive	100
SSD1016MSD	10 x 16mm Square Drive	100
SSD1020MSD	10 x 20mm Square Drive	100
SSD1025MSD	10 x 25mm Square Drive	100
SSD1032MSD	10 x 32mm Square Drive	100
SSD1038MSD	10 x 38mm Square Drive	50
SSD1051MSD	10 x 51mm Square Drive	50



Toggler Snaptoggles

RSL CODE	DESCRIPTION	QTY
TOGBB/2B	1/4" (6mm) with screws	2
TOGBB/10B	1/4" (6mm) with screws	10
TOGBM5/EA	M5 Snaptoggle	EA
TOGBM5/50P	M5 Snaptoggle	50
TOGBM6/EA	M6 Snaptoggle	EA
TOGBM6/50P	M6 Snaptoggle	50
TOGBM6L	M6 Long Snaptoggle (240mm)	EA
TOGBM6L/50	M6 Long Snaptoggle (240mm)	50
TOGBM8/EA	M8 Snaptoggle	EA
TOGBM8/25P	M8 Snaptoggle	25
TOGBM10	M10 Snaptoggle	EA
TOGBM10/25	M10 Snaptoggle	25



Toggler Stainless 316 Snaptoggles

RSL CODE	DESCRIPTION	QTY
TOGBM5S/EA	M5 Stainless Snaptoggle	EA
TOGBM5S/50P	M5 Stainless Snaptoggle	50
TOGBM6S/EA	M6 Stainless Snaptoggle	EA
TOGBM6S/50P	M6 Stainless Snaptoggle	50
TOGBM6S/SET	M6 Stainless Snaptoggle Set	50





- Sizes not listed here are available made to order. Please see page 28 for custom saddle order form or contact our sales team to discuss.



NZS4541:2020

Listed By AON






Hot Dipped Galvanised Saddles
(Light Duty)


RSL CODE	DESCRIPTION (D)	W x T	L	C	Hole	SWL
GPS-021	15nb (21od)	25 x 2mm	75	55	8mm	250kg
GPS-027	20nb (27od)	25 x 2mm	81	61	8mm	250kg
GPS-034	25nb (34od)	25 x 2mm	90	70	8mm	250kg
GPS-043	32nb (43od)	25 x 2mm	99	78	8mm	250kg
GPS-048	40nb (48od)	25 x 2mm	104	84	8mm	220kg
GPS-060	50nb (60od)	25 x 2.5mm	118	98	8mm	280kg
GPS-076	65nb (76od)	25 x 2.5mm	137	117	8mm	280kg
GPS-089	80nb (89od)	25 x 2.5mm	145	125	8mm	280kg
GPS-115	100nb (115od)	25 x 2.8mm	181	159	10.5mm	280kg
GPS-140*	125nb (140od)	25 x 3mm	201	180	9mm	400kg
GPS-168*	150nb (168od)	25 x 3mm	220	197	10.5mm	400kg



NZS4541:2020

Listed By AON





Hot Dipped Galvanised Saddles
(Medium Duty)

RSL CODE	DESCRIPTION (D)	W x T	L	C	Hole	SWL
GPS-034/M	25nb (34od)	40 x 5mm	129	90	13.5mm	800kg
GPS-043/M	32nb (43od)	40 x 5mm	139	99	13.5mm	800kg
GPS-048/M	40nb (48od)	40 x 5mm	143	103	13.5mm	800kg
GPS-060/M	50nb (60od)	40 x 5mm	158	119	13.5mm	800kg
GPS-076/M	65nb (76od)	40 x 5mm	171	132	13.5mm	800kg
GPS-089/M	80nb (89od)	40 x 5mm	187	147	13.5mm	800kg
GPS-115/M	100nb (115od)	40 x 6mm	213	174	13.5mm	800kg
GPS-140/M	125nb (140od)	40 x 6mm	237	198	13.5mm	650kg
GPS-165/M	150nb (165od)	40 x 6mm	264	225	13.5mm	650kg
GPS-168/M	150nb (168od)	40 x 6mm	271	231	13.5mm	650kg
GPS-203/M	175 WST (203od)	40 x 6mm	299	258	13.5mm	650kg
GPS-220/M	200nb (220od)	40 x 6mm	308	266	13.5mm	650kg
GPS-250/M*	225 WST (250od)	40 x 6mm	346	305	13.5mm	800kg
GPS-275/M*	250nb (275od)	40 x 6mm	372	322	13.5mm	800kg
GPS-315/M*	300 WST (315od)	40 x 6mm	407	366	13.5mm	800kg


*Indicates not listed by AON.

Base Plates



NZS4541:2020

Listed By AON




Welded Boss Medium Duty HDG Plated Base Plates

RSL CODE	DESCRIPTION	Boss	L	W	T	Hole Size	SWL
MRG-BP10/M	Medium Duty HDG Base Plate	M10	75	25	4	8mm	400kg
MRG-BP12/M	Medium Duty HDG Base Plate	M12	90	25	6	8mm	500kg



NZS4541:2020


Listed By AON



Welded Boss Medium Duty Zinc Plated Base Plates

RSL CODE	DESCRIPTION	Boss	L	W	T	Hole Size	SWL
MRZ-BP10/M	Medium Duty Zinc Plated Base Plate	M10	75	25	4	8mm	400kg
MRZ-BP12/M	Medium Duty Zinc Plated Base Plate	M12	90	25	6	8mm	500kg






Welded Boss Stainless 316L Base Plates

RSL CODE	DESCRIPTION	Boss	L	W	T	Hole Size	SWL
MRS-BP10	Welded Boss Stainless 316L Base Plate	M10	75	22	2.5	8mm	90kg
MRS-BP12	Welded Boss Stainless 316L Base Plate	M12	90	25	3	8.5mm	160kg






Welded Boss HDG Base Plates

RSL CODE	DESCRIPTION	Boss	L	W	T	Hole Size	SWL
MRG-BP10	Welded Boss HDG Base Plate	M10	75	22	2.5	8mm	
MRG-BP12	Welded Boss HDG Base Plate	M12	90	25	3	8.5mm	
BP10/12	Welded Boss HDG Base Plate	M10/M12	100	25	3	8.5mm	170kg






Welded Boss Zinc Plated Base Plates

RSL CODE	DESCRIPTION	Boss	L	W	T	Hole Size	SWL
GHBP8W	Welded Boss Zinc Plated Base Plate	M8	75	22	2.5	8mm	
GHBP10W	Welded Boss Zinc Plated Base Plate	M10	75	22	2.5	8mm	
GHBP12W	Welded Boss Zinc Plated Base Plate	M12	75	22	2.5	8mm	






45° Welded Combo HDG Boss Base Plates

RSL CODE	DESCRIPTION	Boss	L	W	T	Hole Size	SWL
BP10/12A	45 degree HDG Base Plate	M10/M12	100	25	3	8.5mm	120kg






Vertical End Welded Combo Boss HDG Base Plates

RSL CODE	DESCRIPTION	Boss	L	W	T	Hole Size	SWL
BP10/12B	Vertical End HDG Base Plate	M10/M12	100	25	3	8.5mm	






90° Welded Combo Boss HDG Base Plates

RSL CODE	DESCRIPTION	Boss	L	W	T	Hole Size	SWL
BP10/12C	90 degree HDG Base Plate	M10/M12	100	25	3	8.5mm	






45° Welded Combo Boss Zinc Plated Base Plates

RSL CODE	DESCRIPTION	Boss	L	W	T	Hole Size	SWL
BP10A	45 degree Zinc Plated Base Plate	M10/M12	100	25	3	8.5mm	120kg






Vertical End Welded Combo Boss Zinc Plated Base Plates

RSL CODE	DESCRIPTION	Boss	L	W	T	Hole Size	SWL
BP10B	Vertical End Zinc Plated Base Plate	M10/M12	100	25	3	8.5mm	






Vertical End 45° Zinc Plated Welded Combo Boss Baseplate

RSL CODE	DESCRIPTION	Boss	L	W	T	Hole Size	SWL
BP10BA	45 degree Zinc Plated Base Plate	M10/M12	100	25	3	8.5mm	350kg






90° Welded Combo Boss Zinc Plated Base Plates

RSL CODE	DESCRIPTION	Boss	L	W	T	Hole Size	SWL
BP10C	90 degree Zinc Plated Base Plate	M10/M12	100	25	3	8.5mm	






Top Hat Style Stainless 316 Base Plates

RSL CODE	DESCRIPTION	SIZE	L	W	T	Hole Size	SWL
THBP25/ST	Stainless 316 (120 x 25 x 5.0mm)	12.0	120	25	5	10mm	






Top Hat Style HDG Base Plates


RSL Code	DESCRIPTION	Top Hole	L	W	T	Hole Size	SWL
THBP25	Top Hat HDG Base Plate	12.0	120	25	5	10mm	
THBP40	Top Hat HDG Base Plate	14.0	138	40	6	14mm	

Pipe Clamps

- All Clamps can be rubber lined on request.
- All Safe working loads have a built in 2.5 safety factor based on yield & in conjunction with largest workable rod size.
- Sizes not listed here are available made to order. Please see page 27 for custom clamp order form or contact our sales team to discuss.









Welded Boss Stainless 316L Clamps


RSL CODE	DESCRIPTION (D)	W x T	L	C	H	Hole	Boss	Bolt	Nut	SWL
MRS-021	15nb (21od)	25 x 2	75	50	28	7.5mm	M10	M6 x 25	Riv	100kg
MRS-027	20nb (27od)	25 x 2	83	59	31	7.5mm	M10	M6 x 25	Riv	100kg
MRS-034	25nb (34od)	25 x 2	89	64	34	7.5mm	M10	M6 x 25	Riv	100kg
MRS-043	32nb (43od)	25 x 2	99	75	39	7.5mm	M10	M6 x 25	Riv	100kg
MRS-048	40nb (48od)	25 x 2	105	82	41	7.5mm	M10	M6 x 25	Riv	100kg
MRS-056	DWV50 (56od)	25 x 2.5	111	90	46	7.5mm	M10	M6 x 25	Riv	150kg
MRS-060	50nb (60od)	25 x 2.5	118	93	47	7.5mm	M10	M6 x 25	Riv	150kg
MRS-068	DWV65 (69od)	25 x 2.5	126	102	53	7.5mm	M10	M6 x 25	Riv	150kg
MRS-076	65nb (76od)	25 x 2.5	135	112	56	9.5mm	M10	M8 x 30	FN	150kg
MRS-082	DWV80 (82.0od)	25 x 2.5	142	117	58	9.5mm	M10	M8 x 30	FN	150kg
MRS-089	80nb (89od)	25 x 2.5	146	121	63	9.5mm	M10	M8 x 30	FN	150kg
MRS-101	101.6od (4" Tube)	25 x 3	163	139	69	9.5mm	M10	M8 x 30	FN	100kg
MRS-110	DWV100 (110od)	25 x 2.5	178	155	73	9.5mm	M10	M8 x 30	FN	100kg
MRS-115	100nb (115od)	25 x 3	186	161	83	9.5mm	M10/M12	M8 x 30	FN	100kg
MRS-140	125nb (140od)	25 x 3	212	187	95	9.5mm	M10/M12	M8 x 30	FN	100kg
MRS-160	DWV150 (160od)	25 x 3	229	206	98	9.5mm	M10	M8 x 30	FN	100kg
MRS-168	150nb (168od)	25 x 3	241	211	108	9.5mm	M10/M12	M8 x 30	FN	100kg



NZS4541:2020

Listed By AON






Welded Boss HDG Clamps


RSL CODE	DESCRIPTION (D)	W x T	L	C	H	Hole	Boss	Bolt	Nut	SWL
MRG-021	15nb (21od)	25 x 2	75	50	28	7.5mm	M10	M6 x 25mm	Riv	90kg
MRG-027	20nb (27od)	25 x 2	83	58	31	7.5mm	M10	M6 x 25mm	Riv	90kg
MRG-034	25nb (34od)	25 x 2	90	64	34	7.5mm	M10	M6 x 25mm	Riv	90kg
MRG-043	32nb (43od)	25 x 2	100	75	39	7.5mm	M10	M6 x 25mm	Riv	90kg
MRG-048	40nb (48od)	25 x 2	107	82	41	7.5mm	M10	M6 x 25mm	Riv	90kg
MRG-060	50nb (60od)	25 x 2.5	118	93	47	7.5mm	M10	M6 x 25mm	Riv	160kg
MRG-076	65nb (76od)	25 x 2.5	135	110	56	9.5mm	M10	M8 x 30mm	FN	160kg
MRG-089	80nb (89od)	25 x 2.5	146	124	62	9.5mm	M10	M8 x 30mm	FN	200kg
MRG-089/12	80nb (89od)	25 x 2.5	146	124	67	9.5mm	M12	M8 x 30mm	FN	200kg
MRG-115	100nb (115od)	25 x 3	186	158	75	9.5mm	M10	M8 x 30mm	FN	200kg
MRG-115/12	100nb (115od)	25 x 3	186	158	80	9.5mm	M12	M8 x 30mm	FN	200kg
MRG-140*	125nb (140od)	25 x 3	208	186	87	9.5mm	M10	M8 x 30mm	FN	200kg
MRG-168	150nb (168od)	25 x 5	244	220	103	12mm	M10	M10 x 40mm	FN	280kg
MRG-168/12	150nb (168od)	25 x 5	244	220	107	12mm	M12	M10 x 40mm	FN	280kg
MRG-180/12*	175-185 (180od)	25 x 5	260	235	114	12mm	M12	M10 x 40mm	FN	280kg



NZS4541:2020

Listed By AON





Welded Boss Zinc Plated Clamps


RSL CODE	DESCRIPTION (D)	W x T	L	C	H	Hole	Boss	Bolt	Nut	SWL
MRZ-021	15nb (21od)	25 X 2	75	50	28	7.5mm	M10	M6 x 25mm	Riv	90kg
MRZ-027	20nb (27od)	25 X 2	82	58	31	7.5mm	M10	M6 x 25mm	Riv	90kg
MRZ-034	25nb (34od)	25 X 2	90	64	34	7.5mm	M10	M6 x 25mm	Riv	90kg
MRZ-043	32nb (43od)	25 X 2	100	74	39	7.5mm	M10	M6 x 25mm	Riv	90kg
MRZ-048	40nb (48od)	25 X 2	107	82	41	7.5mm	M10	M6 x 25mm	Riv	90kg
MRZ-060	50nb (60od)	25 X 2.5	118	93	47	7.5mm	M10	M6 x 25mm	Riv	160kg
MRZ-076	65nb (76od)	25 X 2.5	133	110	56	9.5mm	M10	M8 x 30mm	FN	160kg
MRZ-089	80nb (89od)	25 X 2.5	147	124	69	9.5mm	M10/M12	M8 x 30mm	FN	200kg
MRZ-115	100nb (115od)	25 X 3	182	158	82	9.5mm	M10/M12	M8 x 30mm	FN	200kg
MRZ-140*	125nb (140od)	25 X 3	208	186	94	9.5mm	M10/M12	M8 x 30mm	FN	200kg
MRZ-168	150nb (168od)	25 x 5	244	220	111	12mm	M10/M12	M10 x 40mm	FN	280kg


*Indicates not listed by AON.



NZS4541:2020

Listed By AON







Medium Duty Yoked HDG Clamps

RSL CODE	DESCRIPTION (D)	W x T	L	C	H	Hole	Hole 2	BOLT	SWL
RSL18-060	50nb (60od)	40 x 6	154	114	77	14mm	14mm	M12 x 45	500kg
RSL18-076	65nb (76od)	40 x 6	171	131	85	14mm	14mm	M12 x 45	500kg
RSL18-089	80nb (89od)	40 x 6	187	147	91	14mm	14mm	M12 x 45	500kg
RSL18-102	102od	40 x 6	195	155	98	14mm	14mm	M12 x 45	500kg
RSL18-115	100nb (115od)	40 x 6	209	169	104	14mm	14mm	M12 x 45	500kg
RSL18-127	127od	40 x 6	222	182	110	14mm	14mm	M12 x 45	500kg
RSL18-140	125nb (140od)	40 x 6	240	200	117	14mm	14mm	M12 x 45	500kg
RSL18-152	152od	40 x 6	251	211	123	14mm	14mm	M12 x 45	500kg
RSL18-168	150nb (168od)	40 x 6	262	222	131	14mm	14mm	M12 x 45	500kg
RSL18-175	175od	40 x 6	279	239	134	14mm	14mm	M12 x 45	500kg
RSL18-203	DWV175 (203od)	40 x 6	306	266	148	14mm	18mm	M12 x 45	500kg
RSL18-220	200nb (220od)	40 x 6	317	277	157	14mm	18mm	M12 x 45	500kg
RSL18-250*	DWV225 (250od)	40 x 6	355	315	172	14mm	18mm	M12 x 45	500kg
RSL18-275*	250nb (275od)	40 x 6	381	341	184	14mm	18mm	M12 x 45	500kg
RSL18-315*	DWV300 (315od)	40 x 6	418	378	204	14mm	18mm	M12 x 45	500kg









Heavy Duty Yoked HDG Clamps

RSL CODE	DESCRIPTION (D)	W x T	L	C	H	Hole 1	Hole 2	Bolt	SWL
RSL31-275Y	250nb (275od)	75 x 10	438	376	210	22mm	22mm	M20 x 70	1750kg
RSL31-324Y	300nb (324od)	75 x 10	500	438	234	22mm	22mm	M20 x 70	1750kg
RSL31-356Y	350nb (356od)	75 x 10	527	465	250	22mm	22mm	M20 x 70	1750kg
RSL31-406Y	400nb (406od)	75 x 10	575	513	275	22mm	22mm	M20 x 70	1750kg









Medium Duty Two-Piece HDG Clamps

RSL CODE	DESCRIPTION (D)	W x T	L	C	Hole	Bolt
RSL16-060	50nb (60od)	40 x 6	154	114	14mm	M12 x 45
RSL16-076	65nb (76od)	40 x 6	171	131	14mm	M12 x 45
RSL16-089	80nb (89od)	40 x 6	187	147	14mm	M12 x 45
RSL16-102	102od	40 x 6	195	155	14mm	M12 x 45
RSL16-115	100nb (115od)	40 x 6	209	169	14mm	M12 x 45
RSL16-127	127od	40 x 6	222	182	14mm	M12 x 45
RSL16-140	125nb (140od)	40 x 6	240	200	14mm	M12 x 45
RSL16-152	152od	40 x 6	251	211	14mm	M12 x 45
RSL16-168	150nb (168od)	40 x 6	262	222	14mm	M12 x 45
RSL16-175	175od	40 x 6	279	239	14mm	M12 x 45
RSL16-203	DWV175 (203od)	40 x 6	306	266	14mm	M12 x 45
RSL16-220	200nb (220od)	40 x 6	317	277	14mm	M12 x 45
RSL16-250	DWV225 (250od)	40 x 6	355	315	14mm	M12 x 45
RSL16-275	250nb (275od)	40 x 6	381	341	14mm	M12 x 45
RSL16-315	DWV300 (315od)	40 x 6	418	378	14mm	M12 x 45







Heavy Duty Two-Piece HDG Clamps

RSL CODE	DESCRIPTION (D)	W x T	L	C	Hole	Bolt
RSL31-275	250nb (275od)	75 x 10	438	376	22mm	M20 x 70
RSL31-324	300nb (324od)	75 x 10	500	438	22mm	M20 x 70
RSL31-356	350nb (356od)	75 x 10	527	465	22mm	M20 x 70
RSL31-406	400nb (406od)	75 x 10	513	575	22mm	M20 x 70

CUSTOM U-BOLT ORDER FORM

Ray Staiger LIMITED

MATERIAL: _____ FINISH: _____

DIAMETER: _____


LENGTH: _____ CENTRE: _____

THREAD 1: _____ THREAD 2: _____


NUTS : _____ WASHERS: _____

QUANTITY: _____

☐



☐



U-bolts will be made to the specifications set out on this form. In signing this form, the customer confirms that all measurements are correct, and acknowledges that once manufactured, goods are not returnable.

SIGNATURE: _____ DATE: _____

CUSTOM CLAMP ORDER FORM

Ray Staiger LIMITED

MATERIAL: _____ FINISH: _____

DIAMETER (OD): _____ THICKNESS: _____


LENGTH (L): _____ WIDTH: _____


HOLE SIZE: _____ HOLE CENTRE (C):_____

Hole 2: _____ RUBBER LINING: _____
(HOLE DIAMETER IN MM)


BOSS (METRIC SIZE): _____


YOLK OPTION





BOSS OPTION





Clamps will be made to the specifications set out on this form. In signing this form, the customer confirms that all measurements are correct, and acknowledges that once manufactured, goods are not returnable.

SIGNATURE: _____ DATE: _____

CUSTOM SADDLE ORDER FORM

Ray Staiger LIMITED


MATERIAL: _____ FINISH: _____


DIAMETER (OD): _____ THICKNESS: _____

WIDTH: _____ LENGTH: _____


HOLE CENTRE: _____ HOLE SIZE: _____


FULL SADDLE





HALF SADDLE





Saddles will be made to the specifications set out on this form. In signing this form, the customer confirms that all measurements are correct, and acknowledges that once manufactured, goods are not returnable.

SIGNATURE: _____ DATE: _____

NOTES

NOTES